



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate No.: THERM 9901

DQS HELLAS grants the present certificate to the company:

MONOSI – SYSKEVASIA S.A.



Through an audit of the factory production control (FPC) performed for thermal insulation products:

Thermal insulation boards of expanded polystyrene (EPS)

with the identification codes:

EPS 50: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 75 - CS(10)50 - TR100 - SS35 - GM595- MU20 - WL(T)2.5 - $\lambda_D = 0,040 \text{ W}/(\text{m}\cdot\text{K})$
EPS 60: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 100 - CS(10)60 - TR150 - SS50 - GM850- MU20 - WL(T)2.5 - $\lambda_D = 0,037 \text{ W}/(\text{m}\cdot\text{K})$
EPS 80: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 125 - CS(10)80 - TR150 - SS60 - GM1.020 - MU20 - WL(T)2.5 - $\lambda_D = 0,036 \text{ W}/(\text{m}\cdot\text{K})$
EPS 100: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 150 - CS(10)100 - TR150 - SS75 - GM1.296 - MU30 - WL(T)1.5 - $\lambda_D = 0,034 \text{ W}/(\text{m}\cdot\text{K})$
EPS 120: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 170 - CS(10)120 - TR150 - SS85 - GM1.504 - MU30 - WL(T)1.5 - $\lambda_D = 0,034 \text{ W}/(\text{m}\cdot\text{K})$
EPS 150: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 200 - CS(10)150 - TR150 - SS100 - GM1.660 - MU30 - WL(T)1.5 - $\lambda_D = 0,033 \text{ W}/(\text{m}\cdot\text{K})$
EPS 200: EPS - EN 13163 - T2 - L2 - W2 - S2 - P5 - BS 250 - CS(10)200 - TR150 - SS125 - GM1.932 - MU40 - WL(T)1.0 - $\lambda_D = 0,033 \text{ W}/(\text{m}\cdot\text{K})$
DS(N)2 - DS(70,90)1 - WL(P)0,10

Reaction to the fire: Euroclass E

Its premises at the following address / location:

70th km. Athens - Lamia National Road, 34100 Avlida Xalkidas, Evia

Accordance with standard:

EN 13163:2012

System 1

The present certificate is granted in accordance with the:

- requirements of Construction Products Rules (CPR) 305/2011/EE.
- Annex V of the Rules 568/2014/EE.
- requirements of Annex ZA of the standard ELOT EN 13163.
- requirements of Annex B of the standard ELOT EN 13172.
- specifications to meet the requirements for ETICS, according to ETAG 004 and EN 13499.
- DQS Hellas General Rules for the Certification of products.
- specific Rules for the Certification EKIII.02 «Specific Rules of the Insulation Materials».

and is ruled by the terms of the relevant between DQS Hellas and the enterprise.

The declared performance of the essential characteristics of the products mentioned in the producer's Declaration of Performance.

Date of issue: **05/12/2015**

Date of valid: **04/12/2016**


Panagiotis Giannoutsos
Director of Product Certification


Dr. Emmanouil Deligiannakis
Managing Director

Accredited Body: 4, Kalavriton Street, 14564 Kifissia - Athens, Greece

EEK.002-03 -15/12/2014



Accreditation number
735
Notification number
2423